Rayat Shikshan Sanstha's

Yashavantrao Chavan Institute of Science, Satara

Department of Mathematics

Syllabus for Autonomy

B. Sc. Part – II (CBCS)

Structure of the Course

Semester-III

Sr.No	Subject Title	Theory			Practical		
		Paper No	No of	Credits		No of	Credits
		and Code	Lectures			Lectures	
			per week			per week	
		Paper-V			Practical		
1	Mathematics	BMT-301		4	Paper III		
		Paper-VI	6	4	BMP-303	8	4
		BMT-302					

Semester- IV

Ca No	Cook is at Title	Theory			Practical		
Sr.No	Subject Title	Paper No and Code	No of Lectures	Credits		No of Lectures	Credits
			per week			per week	
1	Mathematics	Paper-V BMT-401	6	4	Practical	8	4
1	Mathematics	Paper-VI BMT-402			Paper III BMP-403		

Rayat Shikshan Sanstha's

Yashavantrao Chavan Institute of Science, Satara

Department of Mathematics

Proposed syllabus for Autonomy

B. Sc. Part – II (CBCS)

Semester: III

Paper –V (BMT-301) Real Analysis-I

Theory: 36 Hours (45 Lectures)

(Credits -02)

Course Objectives: The course is designed so that

- 1) Students will learn to understand basic statements and able to write basic proofs according to principles of quantificational logic
- 2) Student will understand thoroughly and precisely the concept of "limit" in its various forms
- 3) Define functions between sets equivalent sets, finite, countable and uncountable sets
- 4) Student will learn to show whether sequence is converges or diverges

Unit 1: Sets and Functions

[14]

- 1.1 **Sets**
 - 1.1.1 Operations on sets ,Cartesian product of sets ,Relation
- 1.2 Functions
 - 1.2.1 **Definitions :** Function, Domain, Co-domain, Range, Graph of a function, Direct image and Inverse image of a subset under a function
 - 1.2.2 **Theorem:** If $f: A \to B$ and if $X \subseteq B, Y \subseteq B$ then

$$f^{-1}(X \cup Y) = f^{-1}(X) \cup f^{-1}(Y)$$

1.2.3 **Theorem:** If $f: A \to B$ and if $X \subseteq B, Y \subseteq B$ then

$$f^{-1}(X\cap Y) = f^{-1}(X)\cap f^{-1}(Y)$$

- 1.2.4 **Theorem:** If $f: A \to B$ and $X \subseteq A$, $Y \subseteq A$ then $f(X \cup Y) = f(X) \cup f(Y)$
- 1.2.5 **Theorem :** If $f: A \to B$ and $X \subseteq A$, $Y \subseteq A$ then $f(X \cap Y) \subseteq f(X) \cap f(Y)$
- 1.2.6 **Definitions :** Injective, Surjective and Bijective function (1-1 correspondence), Inverse function
- 1.2.7 **Theorem :** Composition of two bijective functions is a bijective function
- 1.3 Countable Sets
 - 1.3.1 **Definitions:** Finite sets, Infinite sets, Countable Sets, Uncountable Sets.
 - 1.3.2 **Examples of Countable sets :** Set of Natural numbers, Set of Integers, Cartesian product of Countable sets
 - 1.3.3 **Theorem :** Countable union of countable set is countable
 - 1.3.4 **Theorem**: Set of Rational numbers is countable

	1.3.5	Theorem : Any subset of countable set is countable					
	1.3.6	Theorem : The closed interval [0,1] is uncountable					
	1.3.7	Theorem : The set of all real numbers is uncountable					
	1.3.8	Theorem: Every infinite set has a countably infinite subsets					
	1.3.9	Examples					
Unit 2:	Comp	pleteness Property of $\mathbb R$	[08]				
2.1	Defin	Definitions : Lower bound ,Upper bound of a subset of $\mathbb R$, Bounded set,					
		Supremum $(l. u. b)$, Infimum $(g. l. b)$					
2.2		Upper Bound Axiom [Completeness Property of \mathbb{R}]					
2.3	Theor	rem (Archimedean Property): If $x \in \mathbb{R}$ then there exists $n_x \in \mathbb{N}$ such that					
		$x \leq n_x$					
	2.3.1	Corollary : If $S = \{\frac{1}{n} : n \in \mathbb{N}\}$ then inf $S = 0$					
	2.3.2	Corollary: If $t > 0$ then there exist $n_t \in \mathbb{N}$ such that $0 < \frac{1}{n_t} < t$					
	2.3.3	Corollary: If $y > 0$ then there exist $n_y \in \mathbb{N}$ such that $n_y - 1 < y < n_y$					
2.4		rem : There exists a positive real number x such that $x^2 = 2$					
	2.4.1	Corollary : If x and y are real numbers with $x < y$ then there exist an irrational					
		number z such that $x < z < y$					
2.5	Interv	vals					
	2.5.1	Characterization Theorem : If S is a subset of \mathbb{R} that contains at least two					
		points and has the property					
		If $x, y \in S$ and $x < y$ then the closed interval $[x, y] \subseteq S$ then S is an interval					
Unit 3:	Seaue	ence of Real Numbers	[14]				
3.1	_	ence and Subsequence					
	_	Definition of Sequence and Subsequence					
3.2	Limit	of a Sequence					
	3.2.1	Definition					
	3.2.2	Theorem : If $\{S_n\}_{n=1}^{\infty}$ is a sequence of non-negative numbers and					
		if $\lim_{n\to\infty} S_n = L$ then $L \ge 0$					
3.3	Conv	ergent Sequence					
	3.3.1	Theorem : Convergent sequence cannot converge to two distinct points					
	3.3.2	Theorem (Without Proof): If sequence of real numbers $\{S_n\}_{n=1}^{\infty}$ is convergent					
		to L then any subsequence of $\{S_n\}_{n=1}^{\infty}$ is also convergent to L					
3.4	Opera	ations on Convergent sequences					
	3.4.1	Theorem : If $\{s_n\}_{n=1}^{\infty}$ and $\{t_n\}_{n=1}^{\infty}$ are sequences of real numbers,					
		if $\lim_{n\to\infty} s_n = L$ and $\lim_{n\to\infty} t_n = M$ then $\lim_{n\to\infty} (s_n + t_n) = L + M$					
	3.4.2	Theorem : If $\{s_n\}_{n=1}^{\infty}$ and $\{t_n\}_{n=1}^{\infty}$ are sequences of real numbers,					
		if $\lim_{n\to\infty} s_n = L$ and $\lim_{n\to\infty} t_n = M$ then $\lim_{n\to\infty} (s_n - t_n) = L - M$					
		$n o \infty$ $n o \infty$ $n o \infty$					

- 3.4.3 **Theorem :** If $\{s_n\}_{n=1}^{\infty}$ is a sequences of real numbers, If $c \in \mathbb{R}$ and if $\lim_{n \to \infty} s_n = L$ then $\lim_{n \to \infty} c s_n = cL$
- 3.4.4 **Theorem :** If 0 < x < 1 then the sequence $\{x^n\}$ converges to 0
- 3.4.5 **Lemma**: If sequence of real numbers $\{S_n\}_{n=1}^{\infty}$ is convergent to L then $\{S_n^2\}_{n=1}^{\infty}$ converges to L^2
- 3.4.6 **Theorem**: If $\{s_n\}_{n=1}^{\infty}$ and $\{t_n\}_{n=1}^{\infty}$ are sequences of real numbers, if $\lim_{n\to\infty} s_n = L$ and $\lim_{n\to\infty} t_n = M$ then $\lim_{n\to\infty} (s_n, t_n) = LM$
- 3.4.7 **Theorem :** If $\{s_n\}_{n=1}^{\infty}$ and $\{t_n\}_{n=1}^{\infty}$ are sequences of real numbers, if $\lim_{n\to\infty} s_n = L$ and $\lim_{n\to\infty} t_n = M$ then $\lim_{n\to\infty} (s_n/t_n) = L/M$

Unit 4: Monotone Sequences and Cauchy Sequences

[09]

- 4.1 Monotone Sequence
 - 4.1.1 **Definition and Examples**
 - 4.1.2 **Theorem :** A non-decreasing sequence which is bounded above is convergent
 - 4.1.3 **Theorem :** A non-increasing sequence which is bounded below is convergent
 - 4.1.4 Corollary: The sequence $\{(1+\frac{1}{n})^n\}$ is convergent
 - 4.1.5 **Theorem (Without Proof) :** A non-decreasing sequence which is not bounded above diverges to infinity
 - 4.1.6 **Theorem (Without Proof) :** A non-increasing sequence which is not bounded below diverges to infinity
 - 4.1.7 **Theorem :** A bounded sequence of real numbers has convergent subsequence
- 4.2 Cauchy Sequence
 - 4.2.1 **Definition and Examples**
 - 4.2.2 **Theorem :** If sequence of real numbers $\{s_n\}_{n=1}^{\infty}$ converges then $\{s_n\}_{n=1}^{\infty}$ is Cauchy sequence
 - 4.2.3 **Theorem**: If $\{s_n\}_{n=1}^{\infty}$ is the Cauchy sequence of real numbers then $\{s_n\}_{n=1}^{\infty}$ is bounded
 - 4.2.4 **Theorem**: If $\{s_n\}_{n=1}^{\infty}$ is the Cauchy sequence of real numbers then $\{s_n\}_{n=1}^{\infty}$ is Convergent

Learning Outcomes: Student will have

- **1.** An ability to work within an axiomatic framework
- A detailed understanding of how monotone sequence converges and completeness property of \mathbb{R} and ability to explain the steps in standard Mathematical notations.
- **3.** Knowledge of some simple techniques for testing the convergence of sequences confidence in applying them;
- **4.** Familiarity with a variety of well-known sequences with a developing intuition about the behavior of new ones;
- **5.** Be able to understand logical arguments and logical constructs. Have a better understanding of

sets, functions and relations

Recommended Books:

- **1. R.R.Goldberg** ,Methods of real Analysis, Oxford & IBH Publishing co. Pvt. Ltd, New Delhi(UNIT 1,2,3,4)
- 2. S.C.Malik and SavitaArora, Mathematical Analysis (Fifth Edition), New Age International (P) Limited, 2017(UNIT 1,2,3,4)
- **T. M. Apostol**, Calculus (Vol.I), John Wiley and sons (Asia) P.Ltd.2002

- **1. R.G.Bartle and D.R.Sherbert**, Introduction to Real Analysis, Wiley India Pvt. Ltd, Fourth Edition, 2016
- **2. D.Somasundaram and B Choudhary**, First Course in Mathematical Analysis, Narosa publishing house New, Delhi, Eighth Reprint 2013.
- **3.** P.K.Jain and S.K.Kaushik, An Introduction to Real Analysis, S.Chand&Company Ltd. New Delhi, First Edition 2000
- **4.** Shanti Narayan and M.D.Raisinghania, Elements of Real Analysis, S.Chand& Company Ltd. New Delhi, Fifteenth Revised Edition 2014

Paper –VI (BMT - 302) Algebra-I Theory: 36 Hours (45 Lectures)

heory: 36 Hours (45 Lectures) (Credits -02)

Objectives: The course is designed so that

- 1) Students should understand types of Matrices and their applications
- 2) Students should develop the skills find the Eigen values and Eigen vectors
- 3) Present the divisibility and relationship between the Greatest common divisor and Least common multiple
- 4) Define Types of Matrices, Divisibility in Integers, Equivalence relation and partitions and Congruence relation
- 5) Present the concept Group and its basic properties

Unit 1: Matrices [12]

1.1 **Introduction**

- 1.1.1 Definition with Illustration.
- 1.1.2 Types of Matrices
- 1.1.3 Definitions: Transpose of Matrix, conjugate of Matrix, Symmetric Matrix , Asymmetric Matrix

1.2 Hermitian and Skew hermitian

- 1.2.1 **Definitions :**Hermitian and Skew Hermitian
- 1.2.3 **Theorem:** The necessary and sufficient condition for a matrix A to be Hermitian is that $A = A^{\theta}$.
- 1.2.4 **Theorem:** The necessary and sufficient condition for a matrix A to be Skew Hermitian is that $A^{\theta} = -A$.
- 1.2.5 **Theorem :** If A and B are Hermitian (Skew Hermitian) then A+B is also Hermitian (SkewHermitian).
- 1.2.6 **Theorem :** If A is Hermitian then *iA* is Skew Hermitian.
- 1.2.7 **Theorem**: If A is Skew Hermitian then *iA* is Hermition.
- 1.2.8 **Theorem :** Every square Matrix is uniquely expressed as the sum of Hermitian Skew hermitian matrix.

1.3 Eigenvalues and Eigenvectors

- 1.3.1 **Definitions :** Minor of matrix, Rank of a matrix, Inverse of a matrix, Characteristics Polynomial of matrix
- 1.3.2 Eigenvalues and Eigenvectors
- 1.3.3 Examples on 1.3.2.

1.4 System of a linear Equations

- 1.4.1 System of Homogeneous linear Equations.
- 1.4.2 Nature of solutions of AX = 0.
- 1.4.3 Examples on 1.4.1.

	1.4.4 System of Non Homogeneous linear Equations.					
	1.4.5 Nature of Solution.					
	1.4.6 Examples on 1.4.4.					
1.5	Cayley-Hamilton Theorem (Statement only)					
	1.5.1 Applications of Cayley-Hamilton Theorem.					
Unit 2	Divisibility in Integers	[10]				
	Definition :Divisibility in integers					
	The well ordering principle(Statement Only)					
2.3	Properties of Divisibility					
	2.3.1 Definition of divisor and Multiple					
	2.3.2 Theorem: Let a,b,c,d be integers. Then					
	i) If a b then a bx					
	ii) If $a \mid b$ and $a \mid c$ then $a \mid bx+cy \forall x, y \in I$					
	iii) If a b and b c then a c					
	iv) If $m \neq 0$ is in \mathbb{Z} and $a \mid b \Rightarrow am \mid bm$					
	v) If a b and c d then ac bd					
2.4	vi) If ab bc then a c ; (b \neq 0)					
	Theorem: Division Algorithm (Without Proof)					
2.5	Greatest common divisor and least common multiple					
	2.5.1 Definitions: Greatest common divisor and least common multiple	aviet				
	2.5.2 Theorem : Let a and b be two integers at least one of them not 0. Then there aunique greatest common divisor d of a and b. Moreover, d can be	EXIST				
	written as $d = am + bn$ for integers m and n.					
	2.5.3 The Euclidean Algorithm and Examples.					
	2.5.4 Definition: Relatively Prime					
	2.5.5 Euclid's lemma: For a prime number p, if p ab then either p a or p b.					
2.6	Theorem: (Unique Factorization Theorem or Fundamentals Theorem of Arithmetics of	ımetic)				
Unit 3	Relation	[12]				
	Relation	[1-]				
	3.1.1 Definitions: Cartesian Product, Relation, Binary Relation, Inverse Relation.					
	3.1.2 Examples on 3.1.1.					
3.2	Pictorial Representation of Relation					
	3.2.1 Co-ordinate Diagram					
	3.2.2 Arrow Diagram					
	3.2.3 Matrix Representation					
	3.2.4 Directed Graph					
	3.2.5 Examples on 3.2.1 to 3.2.4					
3.3	Composition of Relations					
	3.3.1 Definition: Composition of Relations	_				
	3.3.2 Theorem: Let A, B, C and D be sets. Let R: $A \rightarrow B$, S: $B \rightarrow C$, T: $C \rightarrow D$	be				
	Relation then $R \circ (S \circ T) = (R \circ S) \circ T$.					
3.4	Types Of Relations					
	3.4.1 Definitions : Reflexive, Symmetric, Antisymmetric and transitive.					

- 3.4.2 Examples on 3.4.1
- 3.4.3 **Theorem:** Let R be relation on set A. Then R^{∞} is the smallest transitive relation on A that contain R.
- 3.5 Equivalence relation and partitions
 - 3.5.1 **Theorem:** Let R be an equivalence relation on setA. Then quotient set A / R forms a partition of A.
 - 3.5.2 **Theorem:** Let $\{A_i\}$, $i \in I$ be partition of a set A. Then there exists an equivalence Relation Ron the set A such that quotient set A / R is the given partition $\{A_i\}$, $i \in I$ on A.
- 3.6 Partial order relation.
 - 3.6.1 **Definition**: Partial order relation.
 - 3.6.2 Examples on 3.6.1
- 3.7 Congruence relation on Integers
 - 3.7.1 **Definition**: Congruence relation
 - 3.7.2 Congruence arithmetic
 - 3.7.3 **Theorem:** Let n > 1 be a fixed positive integer and a, b, c, d be arbitrary integers then the following conditions holds

i) If
$$a \equiv b \pmod{n}$$
 and $c \equiv d \pmod{n}$ then $a + c \equiv b + d \pmod{n}$.

ii) If $a \equiv b \pmod{n}$ and $c \equiv d \pmod{n}$ then $ac \equiv bd \pmod{n}$.

3.7.4 Examples

Unit 4: Groups

[11]

- 4.1 Binary operation on a set
 - 4.1.1 **Definition**: Binary operation on a set with illustration
- 4.2 **Semigroup**
 - 4.2.1 **Definition :**Semigroup with illustration
- 4.3 Monoid
 - 4.3.1 **Definition :**Monoid with illustration
- 4.4 Group
 - 4.4.1 **Definition:** Group, Abelian Group, Finite Group, Infinite Group, Order of a group
 - 4.4.2 Examples on 4.4.1
- 4.5 **Properties of Groups**
 - 4.5.1 **Theorem :** If $\langle G, * \rangle$ is a group, then
 - a) Identity element in G is unique
 - b)Every a in G has unique inverse in G.
 - c) For every a in G, $(a^{-1})^{-1} = a$
 - d) For all $a, b \in G$, $(a * b)^{-1} = b^{-1} * a^{-1}$

- 4.5.2 **Theorem :**If a, b, c are elements in a group G, then
 - i) a * b = a * c implies b = c (Left Cancellation Law)
 - ii)b * a = c * a implies b = c (Right Cancellation Law)
- 4.5.3 **Theorem :** If G is a group and $a,b \in G$, then the equations a * x = b and y * a = b have unique solutions $x = a^{-1} * b$ and $y = b^{-1} * a$ are spectively.
- 4.5.4 **Definition :** Order of element with illustration, Properties (Without Proof)
- 4.6 **Permutations**
 - 4.6.1 **Definition with Illustration**
 - 4.6.2 **Cyclic Permutation**
 - 4.6.3 Transposition, Disjoint Permutations, Even and Odd Permutations

Learning Outcomes:

- 1. After successful completion of Matrices students will solve the system of equations using the language of Matrices
- 2. Understand the elementary concepts of Matrices, System of a linear Equations, Greatest common divisor and least common multiple, Partial order relation and basic structure of Group
- 3. Elementary number theory is the study of the basic structure and properties of integers
- **4.** Learning Matrices and Divisibility of integers helps improving one's ability of Mathematical Thinking

Recommended Books:

- 1. Shantinarayan, A Text Book of Matrices ,S. chand Co.,Pvt. Ltd. Raminagar, New Delhi. (Unit 1)
- **2. David. M. Burton,** Elementarary Number Theory ,7th Edition.2017 McGraw Hill Education (Unit 2)
- **2. Schaum'sOutline**, Discrete Mathematics,(3rd Edition): Seymour hipschutz,Marehipson, Tata MaGraw-Hill Publishing Company Ltd., New Delhi.(Unit)
- **V.K. Khanna and S. K. Bhambri**, A course in abstract Algebra, Vikas Publishing house Private Limited, New Delhi, Fifth Edition 2016 (Unit 4)

- **1. J.B.Fraleigh**, A first couse in abstract Algebra ,Narosa Publishing House New Delhi, Tenth Reprint 2003
- 2. A.R. Vasishtha ,Modern Algebra ,Krishna Prakashan ,Meerut 1994
- **M.Artin**, Algebra, Prentice hall of India, New delhi, 1994
- **4. I.N. Herstein**, Topics in Algebra, Wiley India Pvt. Ltd.

Sem III Practical

Learning Objectives:

After Completing this course students will be able to:

- 1. Understand how matrices and determinants are used as mathematical tools in QA.
- 2. Finding power of Matrix and determining the inverse of matrix.
- 3. Use Matrices to represent a system of equations.
- 4. Provide exposure to problem solving through programming.
- 5. Train the students to the basic concepts of the c-programming language.

Group A

Sr. No.	Name of the practical	No. of Practicals
1	Solution of System of m linear homogeneous equations in n unknowns	1
2	Solution of System of m linear non homogeneous equations in n unknown	1
3	Inverse of Matrix by Cayley Hamilton Method	1
4	Euclidean Algorithm	1
5	Pictorial Representation of Relation	1
6	Examples on equivalence relation	1
7	Examples on Fermat's theorem	1
8	Examples on Group & Order of an element	1
9	Beta function	1
10	Gamma function	1
Group B		
11	C-Introduction-I	1
12	C-Introduction-II	1
13	Complete Structure of C-programe	1
14	Simple C-programe	1
15	If Statement, If else Statement & Switch Statement	1
16	While loop & do while loop	1
17	For loop	1
18	Go to, break continue statement	1
19	One Dimensional Array	1
20	Two Dimensional Array	1
Loomning	outcomos.	

Learning outcomes:

- 1. Critically analyze and construct Mathematical arguments that relate to the study of introductory Matrix theory.
- 2. Students will develop logics which will help them to create programs.
- 3. Students will able to develop the applications of Matrix theory.
- 4. Recognize the types of group when described using a standard forms.

- 1. **Shantinarayan**, A Text Book of Matrices , S. chand Co., Pvt. Ltd. Raminagar, New Delhi
- 2. **V.K. Khanna and S. K. Bhambri**, A course in abstract Algebra, Vikas Publishing house Private Limited, New Delhi, Fifth Edition 2016
- 3.**R.B. Kulkarni, U.H. Naik, J.D. Yadhav, S.P. Thorat, A.A. Basade, H.V. Patil, H.T. Dinde**, A Hand Book of Computational Mathematics Laboratory, Shivaji University Mathematics Society, 2005
 - 4. Shanti Narayan, P.K. Mittal: Integral Calculus, S. Chand and comp. New Delhi
- 5.**B.P. Demidovich& I. A. Maron** Computational Mathematics,translated by George Yankosky Mir Publishers, Moscow
 - 6. **J.B.Fraleigh**, A first couse in abstract Algebra ,Narosa Publishing House New Delhi, Tenth Reprint 2003
 - 7. A.R. Vasishtha ,Modern Algebra ,Krishna Prakashan ,Meerut 1994
- 8.**Seymour hipschutz,Marehipson**Schaum'sOutline ,Discrete Mathematics,(3rd Edition), Tata MaGraw-Hill Publishing Company Ltd., New Delhi.

B. Sc. Part – II (CBCS)

Semester: IV

Paper -VII(BMT-401)

Real Analysis-II

Theory: 36 Hours (45 Lectures)

(Credits -02)

Objectives: The course is designed so that

- 1) Ability to work within an axiomatic framework
- 2) Students will be exposed to the basic ideas of Real Analysis and it is required for their subsequent course work
- 3) Define Limit Superior and Inferior of Sequences and tests for convergence of series
- 4) Sequence and series of functions are especially useful in obtaining approximations to a given function and defining new functions from known ones
- 5) In this paper, we shall consider sequences whose terms are functions rather than real numbers and pay attention to the general properties that are associated with the uniform convergence of sequence and series of functions

Unit 1: Limit Superior and Inferior of Sequences

[14]

- 1.1 **Definitions and Examples**
 - 1.1.1 **Theorem**: If $\{S_n\}_{n=1}^{\infty}$ is convergent sequence of real numbers then

$$\lim_{n\to\infty} \sup s_n = \lim_{n\to\infty} S_n$$

1.1.2 **Theorem**: If $\{S_n\}_{n=1}^{\infty}$ is convergent sequence of real numbers then

$$\lim_{n\to\infty}\inf S_n = \lim_{n\to\infty} S_n$$

1.1.3 **Theorem :** If $\{S_n\}_{n=1}^{\infty}$ is convergent sequence of real numbers and if

$$\lim_{n\to\infty}\sup S_n=\lim_{n\to\infty}\inf S_n=L \text{ Where } L\in\mathbb{R} \text{ then } \{S_n\}_{n=1}^\infty \text{ is }$$
 convergent and
$$\lim_{n\to\infty}S_n=L$$

1.1.4 **Theorem :** If $\{s_n\}_{n=1}^{\infty}$ and $\{t_n\}_{n=1}^{\infty}$ are bounded sequences of real numbers and if $s_n \le t_n$ then

i)
$$\lim_{n \to \infty} \sup s_n \le \lim_{n \to \infty} \sup t_n$$

ii) $\lim_{n \to \infty} \inf s_n \le \lim_{n \to \infty} \inf t_n$

1.1.5 **Theorem :** If $\{s_n\}_{n=1}^{\infty}$ and $\{t_n\}_{n=1}^{\infty}$ are bounded sequences of real numbers then

$$i)\lim_{n\to\infty}\sup\left(s_n+t_n\right)\leq\lim_{n\to\infty}\sup s_n+\lim_{n\to\infty}\sup t_n$$

ii) lim	$inf(s_n)$	$+t_n$	\geq	lim	inf	$S_n +$	- lim	inf	t_n
$n \to \infty$,	10-		$n \rightarrow \infty$	•	10	$n \rightarrow \infty$	•	

[09]

Unit 2: Series of Real Numbers Convergent and Divergent Series 2.1 **Definitions:** Convergent Series, Divergent Series and Examples 2.1.2 If $\sum_{n=1}^{\infty} a_n$ is convergent series then $\lim_{n\to\infty} a_n = 0$ Cauchy's General Principal for convergence(Statement only) 2.2 A necessary and sufficient condition for the convergence of an infinite series $\sum_{n=1}^{\infty} u_n$ is that the sequence of its partial sum $\{s_n\}$ is convergent Series of Nonnegative real numbers 2.3 **Definition and Examples Theorem:** A positive term series converges if and only if its sequence of partial 2.3.2 sum is bounded above **Theorem**: A positive term series $\sum_{n=1}^{\infty} \frac{1}{n^p}$ is convergent if and only if p > 1**Tests for convergence** 2.4 **Comparison Test (First Type)** If $\sum u_n$ and $\sum v_n$ are two positive term series and $k \neq 0$, a fixed positive real number (independent of n) and there exists a positive integer m such that $u_n \le k v_n$ for every $n \ge m$ then a) $\sum u_n$ is convergent if $\sum v_n$ is convergent and b) $\sum v_n$ is divergent if $\sum u_n$ is divergent 2.4.2 Comparison Test (Second Type) If $\sum u_n$ and $\sum v_n$ are two positive term series and there exist positive number m, $(u_n/u_{n+1}) \ge (v_n/v_{n+1})$ for every $n \ge m$ then a) $\sum u_n$ is convergent if $\sum v_n$ is convergent and b) $\sum v_n$ is divergent if $\sum u_n$ is divergent 2.4.3 **p**-Series Test: The series $\sum_{n=1}^{\infty} \frac{1}{n^p}$ is convergent if p > 1 and divergent if $p \le 1$ 2.4.4 **Root Test :** Consider the series $\sum_{n=1}^{\infty} a_n$.Then a) If $\lim \sup |a_n|^{1/n} < 1$ then the series convergent absolutely

	b) If $\limsup a_n ^{1/n} > 1$ then the series diverges c) If $\limsup a_n ^{1/n} = 1$, this test gives no information	
2.5	Alternating Series 2.5.1 Leibnitz Test: If the alternating series $u_1 - u_2 + u_3 - u_4 + \dots$, $(u_n > 0 \text{ for every } n)$ is such that i) $u_{n+1} \le u_n$, for every n and	
2.6	$ii) \lim u_n = 0$ then the series converges	
	Examples Absolute and Conditional Convergence	
2.7	2.6.1 Definition and Examples	
	2.6.2 Theorem: Every Absolutely convergent series is convergent	
2.8	Examples	
Unit 3:	Sequence and Series of Functions	[14]
	Deintryice companyon of fractions	
3.1	Pointwise convergence of sequence of functions	
	3.1.1 Definition and Examples	
3.2	Uniform convergence of sequence of functions	
2.2	3.2.1 Definition and Examples	
3.3	Uniform Convergence and Continuity 3.3.1 Theorem: Assume $f_n \to f$ uniformly on an interval S. If each function f_n is continuous at a point p in S then the limit function f is also continuous at p	
	3.3.2 Theorem : If series of functions $\sum u_k$ converges uniformly to a function f on a set S and if each term u_k is continuous at a point p in S then f is also continuous at p	
Unit 4:	Differentiability and Integrability of Series of functions	[08]
4.1	Theorem : Assume that $f_n \to f$ uniformly on an interval $[a,b]$ and assume that each function f_n is continuous on $[a,b]$. Define a new sequence $\{g_i\}$ by the equation $g_n(x) = \int_a^x f_n(t) \ dt$ if $x \in [a,b]$ and $g(x) = \int_a^x f(t) \ dt$ Then $g_n \to n$ uniformly on $[a,b]$. In symbols ,we have $\lim_{n \to \infty} \int_a^x f_n(t) \ dt = \int_a^x \lim_{n \to \infty} f_n(t) \ dt$	
4.2	Theorem : Assume that series of functions $\sum u_k$ converges uniformly to a function f on an interval $[a,b]$ where each u_k is continuous on $[a,b]$. For $x \in [a,b]$	

define $g_n(x) = \sum_{k=1}^n \int_a^x u_k(t) dt$ and $g(x) = \int_a^x f(t) dt$

Then $g_n \to g$ uniformly on [a, b]

4.3 Sufficient Condition for Uniform Convergence

4.3.1 **Theorem (Weierstrass M-Test) :** Given series of functions $\sum u_k$ which converges pointwise to a function f on a set S. If there is a convergent series of positive constants $\sum M_n$ such that $0 \le |u_n(x)| \le M_n$ for every $n \ge 1$ and every x in S. Then $\sum u_k$ converges uniformly on S.

4.4 **Power Series**

- 4.4.1 **Definition**
- 4.4.2 Interval of Convergence and its examples

Learning Outcomes: Student will have:

- **1.** An ability to work within an axiomatic framework
- 2. A detailed understanding of how Cauchy's Criterion for the convergence of sequence and series follow from the completeness property of \mathbb{R} and ability to explain the steps in standard Mathematical notations.
- **3.** Knowledge of some simple techniques for testing the convergence of sequences and series and confidence in applying them;
- **4.** Familiarity with a variety of well-known sequences and series, with a developing intuition about the behavior of new ones;
- 5. An understanding of how elementary functions can be defined by power series, with an ability to deduce some of their easiest

Recommended Books:

- **1. R.R.Goldberg** ,Methods of real Analysis, Oxford & IBH Publishing co. Pvt. Ltd, New Delhi (UNIT 1,2,3,4)
- **2. S.C.Malik and SavitaArora**, Mathematical Analysis(Fifth Edition), New Age International (P) Limited, 2017(UNIT 1,2,3,4)
- 3. Tom M Apostol, Calculus (Vol.I), John Wiley and sons (Asia) P.Ltd.2002

- **1. R.G.Bartle and D.R.Sherbert**, Introduction to Real Analysis, Wiley India Pvt. Ltd, Fourth Edition, 2016
- **2. D.Somasundaram and B Choudhary**, First Course in Mathematical Analysis, Narosa publishing house New, Delhi, and Eighth Reprint 2013.
- **P.K.Jain and S.K.Kaushik**, An Introduction to Real Analysis, S.Chand&Company Ltd. New Delhi, First Edition 2000
- **4. Shanti Narayan and M.D.Raisinghania**, Elements of Real Analysis, S.Chand&Company Ltd.New Delhi, Fifteenth Revised Edition 2014
- **5. Shanti Narayan and P.K. Mittal**, A course of Mathematical Analysis, S. Chand & Company Ltd. New Delhi, Reprint 2016

Paper –VIII (BMT - 402) Algebra-II Theory: 36 Hours (45 Lecture) (Credits -02)

Objectives: The course is designed so that

- 1) Students should understand types of subgroups and how to identify them
- 2) Students should develop the skills to use various groupsand to prove various results
- 3) Present the relationship between abstract algebraic structures with familiar group theory
- 4) Define Subgroups, Normal subgroup, Cyclic Subgroups, Homomorphism and Permutation Group
- 5) Present the concept of Kernel of Homomorphism and Permutation Group structure

Unit1 Subgroups [12]

- 1.1 Subgroups
 - 1.1.1 **Definition :** Subgroups with illustrations

1.2

- 1.2.1 **Theorem :** A non empty subset H of a group G is a subgroup of G If and only if
 - (i) $a, b \in H \Rightarrow ab \in H$
 - (ii) $a \in H \Rightarrow a^{-1} \in H$
- 1.2.2 **Theorem :** A non empty subset of a group G is a subgroup of G iff

$$a, b \in H \Rightarrow ab^{-1} \in H$$

- 1.2.3 **Theorem :** A non empty finite subset H of a group G is a subgroup of G iff H is Closed under multiplication.
- 1.3 Centre of a Group
 - 1.3.1 **Definition:**Centre of a Group ,Normalizer of a element with illustration.
 - 1.3.2 **Theorem :** Centre of group G is subgroup of group G.
 - 1.3.3 **Theorem :** Normalizer of an element group G is subgroup of group G.
- 1.4 Cosets
 - 1.4.1 **Definition:**Coset and examples
 - 1.4.2 **Theorem :** Let H be a subgroup of G then
 - i) $Ha = H \iff a \in H \text{ and } aH = H \iff a \in H$
 - ii) $Ha = Hb \iff ab^{-1} \in H \text{ and } aH = bH \iff a^{-1}b \in H$
 - iii) Ha(aH) is a subgroup of G iff $a \in H$
 - 1.3.3 **Theorem**: $Ha = \{x \in G \mid x \equiv a \bmod H\} = cl(a)$ for any a in G
- 1.4 Lagrange's Theorem
 - 1.4.1 Theorem: If G is a finite group and H is a subgroup of G then o(H) divides o(G).
- 1.5 Index of a subgroup
 - 1.5.1 **Definition :** Index of subgroup H in G with illustration
- 1.6 **Theorem :**For subgroups H and K of G ,HK is a subgroup of G iff HK=KH

		groups	[11]
2.1	Cyclic	groups	
	2.1.1	Definition : Cyclic group , generator of a cyclic group	
	2.1.2	Examples on 2.1.1	
2.2			
		Theorem: Order of a cyclic group is equal to the order of its generator.	
		Theorem: A subgroup of cyclic group is cyclic.	
		Theorem : Every cyclic group is abelian.	
		Theorem : If G is finite group then order of any element of G divides order of G.	
		Theorem : An infinite cyclic group has precisely two generators.	
2.3		ϕ function	
	2.3.1	Definition: Euler's Ø function	
		Theorem : Number of generators of a finite cyclic group of order n is $\emptyset(n)$.	
2.4		and Fermat's Theorem	
	2.4.1	Euler's Theorem : Let a, $n(n \ge 1)$ be any integers such that $gcd(a, n) = 1$ then $a^{\emptyset(n)} \equiv 1 \pmod{n}$	
	2.4.2	Fermat's Theorem: For any integer a and prime $p \ a^p \equiv a \pmod{p}$	
	2.4.3	Examples on 2.4.1 and 2.4.3	
	2.4.3	Examples on 2.4.1 and 2.4.5	
Unit 3	Norm	al groups	[11]
3.1	Norm	al groups	
	3.1.1	Definitions: Normal subgroups, Simple group	
	3.1.2	Examples	
3.2	Result	ts on Normal Groups	
	3.2.1	Theorem : A subgroup H of group G is normal in G iff $g^{-1}Hg = H$, $g \in G$.	
	3.2.2	Theorem : A subgroup H of group G is normal in G iff $g^{-1}hg \in H$ for all	
		$h \in H$, $g \in G$.	
	3.2.3	Theorem : A subgroup H of group G is normal in G iff the product of two right	
		(left) cosets of H in G is again a right (left) coset of H in G.	
3.3	_	ent groups	
	3.3.1	Definition: Quotient groups with illustration.	
	3.3.2	Theorem : If G is finite group and N is normal subgroup of G then $o\left(\frac{G}{N}\right) = \frac{o(G)}{o(N)}$.	
	3.3.2	Theorem : Every quotient group of cyclic group is cyclic.	
Unit 4	Homo	morphism , Permutation Group	[11]
4.1	Homo	morphism	
	4.1.1	Definitions: Homomorphism ,Epimorphism , Monomorphism , Endomorphism	
	4.1.2	and Automorphism. Examples on 4.4.1	
		•	
	4.1.3	Theorem : If $f: G \to G'$ is homomorphism then	
		(i) f(e) = e'	

(ii)
$$f(x^{-1}) = [f(x)]^{-1}$$

(iii)
$$f(x^n) = [f(x)]^n$$
, nis an integer.

4.2 Kernel of Homomorphism

- 4.2.1 **Definition:** Kernel of Homomorphism with illustration
- 4.2.2 **Theorem**: If $f: G \to G'$ is homomorphism then kerf is a normal subgroup of G.
- 4.2.3 **Theorem :** A homomorphism $f: G \to G'$ is one-one if and only if $\ker f = \{e\}$.

4.3 **Isomorphism Theorems**

- 4.3.1 **Fundamental Theorem of group Homomorphism :** If $f: G \to G'$ is an onto homomorphism with $K = \text{kerfthen} \frac{G}{K'} \cong G'$.
- 4.3.2 **Second theorem of Isomorphism :(Statement only)**Let H and K be two subgroups of group G , where H is normal in G, then $\frac{HK}{H} \cong \frac{K}{H \cap K}$.
- 4.3.3 Third theorem of Isomorphism (Statement only): Let H and K be two normal subgroups of group G , such that $H \subseteq K$ then $\frac{G}{K} \cong \frac{G/H}{K/H}$.

4.4 **Permutation Group**

- 4.4.1 **CayleyTheorem:** Every group G is isomorphic to a permutation group.
- 4.4.2 **Theorem:**Set of even permutations is a normal subgroup of S_n Alternating group.

Learning Outcomes:

- 1. Understand the basic concepts of Subgroups and their applications in both algebraic and geometric structures
- 2. Explain the fundamental concepts of algebra and their role in modern algebra
- 3. Explain Demonstrate accurate and efficient use of advanced algebraic techniques
- 4. Apply problem-solving using advanced algebraic techniques applied to diverse situations in Mathematics

Recommended Books:

1. V.K. Khanna and S. K. Bhambri, A course in abstract Algebra, Vikas Publishing house Private Limited, New Delhi, 3rd Edition 2008 (Unit 1,2,3,4)

- 1. **J.B.Fraleigh**, A first course in Abstract Algebra, Narosa Publishing House New Delhi, Tenth Reprint 2003.
- 2. A.R. Vasishtha, Modern Algebra, Krishna Prakashan, Meerut 1994
- 3. **M.Artin**, Algebra, Prentice hall of India, New delhi, 1994
- 4. **I.N. Herstein**, Topics in Algebra, Wiley India Pvt. Ltd.

B.Sc-II (Mathematics) Sem-IV Practicals

Learning Objectives:

After Completing this course students will be able to:

- 1. Students should develop the skills to use various groups and to prove various results.
- 2. Define double integration over rectangle.
- 3. Sequence and series of functions are especially useful in obtaining approximations to a given function and defining new functions from known ones.
- 4. Change variables in multiple integrals.
- 5. To transform the system of equations to a new having upper triangular form which back substitution scheme.

Group A

Sr. No.	Name of the practical	No. of Practicals
1	Examples on Cyclic Group	1
2	Examples on Normal Subgroup	1
3	Permutation Group	1
4	Homomorphism and Group	1
5	Comparison test and Cauchy's Root test	1
6	D'Almberts Ratio test and P-test	1
7	Double Integration over the given region	1
8	Double Integration : Change of order of integration	1
9	Double Integration : Change of co-ordinate axis	1
10	Double Integration by using Polar Co-ordinates	1
Group B		
11	Function	1
12	Trapazoidal Rule and its Program	1
13	Simpsons(1/3)rd rule and program	1
14	Simpsons(3/8)th rule and program	1
15	Gauss Elimination Method	1
16	Gauss Jordan Method	1
17	Gauss-Seidel Method	1
18	Euler's Method	1
19	Euler's Modified Method	1
20	Runge-Kutta second & fourth order Method	1
Learning	g outcomes:	

- 1. Solve the problems involving various methods of eliminations.
- 2. Solve the system of linear equations by using numerical methods.
- 3. Students will able to develop the applications of Matrix theory.
- 4. Explain Demonstrate accurate and efficient use of advanced algebraic techniques.

- 1. Shantinarayan, A Text Book of Matrices , S. chand Co., Pvt. Ltd. Raminagar, New Delhi
- 2. **V.K. Khanna and S. K. Bhambri**, A course in abstract Algebra, Vikas Publishing house Private Limited, New Delhi, Fifth Edition 2016
- 3.**R.B. Kulkarni, U.H. Naik, J.D. Yadhav, S.P. Thorat, A.A. Basade, H.V. Patil, H.T. Dinde**, A Hand Book of Computational Mathematics Laboratory, Shivaji University Mathematics Society, 2005
 - 4. Shanti Narayan, P.K. Mittal: Integral Calculus, S. Chand and comp. New Delhi
- 5.**B.P. Demidovich& I. A. Maron** Computational Mathematics,translated by George Yankosky Mir Publishers, Moscow
 - 5. **J.B.Fraleigh**, A first couse in abstract Algebra ,Narosa Publishing House New Delhi, Tenth Reprint 2003
 - 7. A.R. Vasishtha ,Modern Algebra ,Krishna Prakashan ,Meerut 1994
- 8.**Seymour hipschutz,Marehipson**Schaum'sOutline ,Discrete Mathematics,(3rd Edition), Tata MaGraw-Hill Publishing Company Ltd., New Delhi.